

	Type	Hits	Search Text	DBs	Time Stamp
1	BR S	0	(("5553143" "5784599" "5313631" "5418837" "5634075" "5819050" "5948090" "5991836" "6023727" "6049671" "6078593" "6055232" "6393569" "6601186" "6654903" "4885789" "5564016" "5872783" "6405132" "5522039" "5457778" "5877942" "6226752" "6226752" "6252544" "6429812" "5668943" "6408390" "6438694" "6209128" "6370622" "6026438"	USPAT; US-PGPU B; IBM_TDB	2004/01/22 11:08

	Type	Hits	Search Text	DBs	Time Stamp
2	BR S	0	("5553143" "5784599" "5313631" "5418837" "5634075" "5819050" "5948090" "5991836" "6023727" "6049671" "6078593" "6055232" "6393569" "6601186" "6654903" "4885789" "5564016" "5872783" "6405132" "5522039" "5457778" "5877942" "6226752" "6226752" "6252544" "6429812" "5668943" "6408390" "6438694" "6209128" "6370622" "6026438"	USPAT; US-PGPU B; IBM_TDB	2004/01/22 10:43

	Type	Hits	Search Text	DBs	Time Stamp
3	BR S	0	("5553143" "5784599" "5313631" "5418837" "5634075" "5819050" "5948090" "5991836" "6023727" "6049671" "6078593" "6055232" "6393569" "6601186" "6654903" "4885789" "5564016" "5872783" "6405132" "5522039" "5457778" "5877942" "6226752" "6226752" "6252544" "6429812" "5668943" "6408390" "6438694" "6209128" "6370622" "6026438"	USPAT; US-PGPU B; IBM_TDB	2004/01/22 10:44

	Type	Hits	Search Text	DBs	Time Stamp
4	BR S	0	(("5553143" "5784599" "5313631" "5418837" "5634075" "5819050" "5948090" "5991836" "6023727" "6049671" "6078593" "6055232" "6393569" "6601186" "6654903" "4885789" "5564016" "5872783" "6405132" "5522039" "5457778" "5877942" "6226752" "6226752" "6252544" "6429812" "5668943" "6408390" "6438694" "6209128" "6370622" "6026438"	USPAT; US-PGPU B; IBM_TDB	2004/01/22 11:09

	Type	Hits	Search Text	DBs	Time Stamp
5	BR S	96	("5553143" "5784599" "5313631" "5418837" "5634075" "5819050" "5948090" "5991836" "6023727" "6049671" "6078593" "6055232" "6393569" "6601186" "6654903" "4885789" "5564016" "5872783" "6405132" "5522039" "5457778" "5877942" "6226752" "6226752" "6252544" "6429812" "5668943" "6408390" "6438694" "6209128" "6370622" "6026438"	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:35
6	BR S	0	((establish\$4 near5 (internal near3 path))with (policy near3 configurat\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 11:08
7	BR S	14	((establish\$4 near5 (connect\$4 or rout\$4 or path))same (policy near3 configurat\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 11:09
8	BR S	26024	709/\$.ccls.	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:36
9	BR S	71	(709/\$.ccls. and @ad<20000520) and (configurat\$4 near3 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:38
10	BR S	27	((709/\$.ccls. and @ad<20000520) and (configurat\$4 near3 polic\$3)) and (establish\$3 near5 (connection or path or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:39

	Type	Hits	Search Text	DBs	Time Stamp
11	BR S	24	((709/\$.ccls. and @ad<20000520) and (configurat\$4 near3 polic\$3)) and ((plural\$3 or multiple or many) near5 (connection or path or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:39
12	BR S	17	((709/\$.ccls. and @ad<20000520) and (configurat\$4 near3 polic\$3)) and (establish\$3 near5 (connection or path or rout\$4))) and (((709/\$.ccls. and @ad<20000520) and (configurat\$4 near3 polic\$3)) and ((plural\$3 or multiple or many) near5 (connection or path or rout\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:51
13	BR S	6169	(establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:53
14	BR S	0	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) same (configurat\$4 near5 (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:54
15	BR S	1	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) same (configurat\$4 with (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:04
16	BR S	84	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (configurat\$4 with (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:58
17	BR S	0	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (configurat\$4 with (policy or rule))) and (cross\$connect\$4 near4 (card\$1 or board\$1 or adapter\$1 or plug\$in))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:58

	Type	Hits	Search Text	DBs	Time Stamp
18	BR S	0	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (cross\$connect\$4 near4 (card\$1 or board\$1 or adapter\$1 or plug\$in))) and (configurat\$4 with (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:58
19	BR S	0	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (cross\$connect\$4 near4 (card\$1 or board\$1 or adapter\$1 or plug\$in))) and (configurat\$4 same (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 12:58
20	BR S	1	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (cross\$connect\$4 near4 (card\$1 or board\$1 or adapter\$1 or plug\$in))) and (policy or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:29
21	BR S	11	((establish\$3 near4 (path or connect\$4 or rout\$4))with ((plural\$3 or multiple or many or more)near4 (path or connect\$4 or rout\$4))) and (cross\$connect\$4 near4 (card\$1 or board\$1 or adapter\$1 or plug\$in))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:00
22	BR S	5058	((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:07
23	BR S	0	((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) same (ploicy near3 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:09
24	BR S	1017	((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:11

	Typ e	Hits	Search Text	DBs	Time Stamp
25	BR S	43	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and (policy near3 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:10
26	BR S	0	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and ((policy adj provision\$4)near2 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:30
27	BR S	12	((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and ((policy adj provision\$4)near2 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:11
28	BR S	12	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and ((policy adj provision\$4)near2 manag\$5)) and ((polic\$3 or resourc\$3 or need\$3 or availability or available))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:26
29	BR S	0	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and ((policy adj provision\$4)near2 manag\$5)) and ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:25
30	BR S	6803	((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:26
31	BR S	582	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:15

	Type	Hits	Search Text	DBs	Time Stamp
32	BR S	582	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520) and ((polic\$3 or resourc\$3 or need\$3 or availability or available))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:27
33	BR S	2722	(provision\$4 or provid\$4 or establish\$4 or utiliz\$6 or load\$balac\$4)near6 (network near4 resourc\$3)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:28
34	BR S	166	((provision\$4 or provid\$4 or establish\$4 or utiliz\$6 or load\$balac\$4)near6 (network near4 resourc\$3)) same ((polic\$3 or rule))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:34
35	BR S	6	((provision\$4 or provid\$4 or establish\$4 or utiliz\$6 or load\$balac\$4)near6 (network near4 resourc\$3)) same ((polic\$3 or rule))) and ((policy adj provision\$4)near2 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:31
36	BR S	0	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520) and ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and ((policy adj provision\$4)near2 manag\$5)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:32
37	BR S	3	(((((dynamic\$4 near6 (chang\$5 or configura\$6 or program\$6))or re\$programmable) with (rout\$3 or connect\$4 or interconnect\$4 or path)) same ((polic\$3 or resourc\$3 or need\$3 or availability or available))) and @ad<20000520) and (PPM or ((policy adj provision\$4)near2 manag\$5))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:15
38	BR S	1627	((polic\$3 or rule) near5 (bas\$3 or driv\$4 or dependent)) with (rout\$4 or path or connect\$4 or (internal adj2 (rout\$3 or path or connection)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 13:37

	Type	Hits	Search Text	DBs	Time Stamp
39	BR S	100	(709/\$.ccls. and @ad<20000520) and (((polic\$3 or rule) near5 (bas\$3 or driv\$4 or dependent)) with (rout\$4 or path or connect\$4 or (internal adj2 (rout\$3 or path or connection))))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:05
40	BR S	921	((establish\$3 or enabl\$4 or institut\$4 or set\$5)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:12
41	BR S	921	((establish\$3 or enabl\$4 or institut\$4 or set\$5)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:14
42	BR S	1172	((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:14
43	BR S	186	((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same (polic\$4 or rul\$2 or constraint\$2)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:27

	Type	Hits	Search Text	DBs	Time Stamp
44	BR S	39	(((((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same (polic\$4 or rul\$2 or constraint\$2))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:14
45	BR S	0	(((((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same (polic\$4 or rul\$2 or constraint\$2))) and @ad<20000520) and (PPM or ((policy adj provision\$4)near2 manag\$5))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:25
46	BR S	15	(((((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same ((plural\$3 or multiple or many or more)near4 (path or rout\$4 or connect\$4 or flow\$4))) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same (polic\$4 or rul\$2 or constraint\$2))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:25

	Type	Hits	Search Text	DBs	Time Stamp
47	BR S	0	(((((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)) same (polic\$4 or rul\$2 or constraint\$2)) and (PPM or ((policy adj provision\$4)near2 manag\$5)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:25
48	BR S	154	((((PPM or ((policy adj provision\$4)near2 manag\$5))) and @ad<20000520) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 09:18
49	BR S	0	(((((PPM or ((policy adj provision\$4)near2 manag\$5))) and @ad<20000520) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4))) and (polic\$4 or rul\$2 or constraint\$2)) and (data near2 (forward adj2 (card or board)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:30
50	BR S	0	(((((PPM or ((policy adj provision\$4)near2 manag\$5))) and @ad<20000520) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4))) and (data near2 (forward adj2 (card or board)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:30
51	BR S	0	(((((PPM or ((policy adj provision\$4)near2 manag\$5))) and @ad<20000520) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4))) and ((forward adj2 (card or board)))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:30

	Type	Hits	Search Text	DBs	Time Stamp
52	BR S	51	(((((PPM or ((policy adj provision\$4)near2 manag\$5))) and @ad<20000520) and (((establish\$3 or enabl\$4 or institut\$4 or set\$5 or configur\$6)near4 (path or rout\$4 or connet\$4 or flow\$3))near6 (transmi\$7 or forward\$4 or transfer\$4))) and (poli\$4 or rul\$2 or constraint\$2)	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:31
53	BR S	0	(((((policy adj provision\$4)near2 manag\$5))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:37
54	BR S	12	(((((policy adj provision\$4)near2 manag\$5))	USPAT; US-PGPU B; IBM_TDB	2004/01/22 15:37
55	BR S	224	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same (data near3 transmi\$6)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:00
56	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same (data near3 transmi\$6)) same (configur\$6 near3 database)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:01
57	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same (data near3 transmi\$6)) same (configur\$6 near3 data\$base)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:02
58	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same (configur\$6 near3 data\$base)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:02
59	BR S	1	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same (data near3 transmi\$6)) and (configur\$6 near3 data\$base)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:02

	Type	Hits	Search Text	DBs	Time Stamp
60	BR S	67	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (configur\$6 near3 data\$base)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:06
61	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (configur\$6 near3 data\$base)) and (policy near3 provision\$4)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:06
62	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (policy near3 provision\$4)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:03
63	BR S	5	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and ((configur\$6 near3 data\$base)with ((rule adj based)or policy or rulebas\$3))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:04
64	BR S	34	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (configur\$6 near3 data\$base)) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:30
65	BR S	0	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (configur\$6 near3 data\$base)) and @ad<20000520) and (configur\$6 near3 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:09
66	BR S	2	((selecti\$4 near6 (rout\$4 or connect\$4 or establish\$4 or path))with ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (configur\$6 near3 data\$base)) and @ad<20000520) and (polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:09
67	BR S	2244	(data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:31

	Type	Hits	Search Text	DBs	Time Stamp
68	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) same ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:27
69	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))same (configur\$6 near3 polic\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:29
70	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and (((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))same (polic\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:29
71	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))) and ((configur\$6 near3 polic\$4))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:30
72	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))) and ((polic\$4))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:32
73	BR S	17	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:01
74	BR S	15	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:32

	Typ e	Hits	Search Text	DBs	Time Stamp
75	BR S	3358	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near5 ((possible or probable)(path\$1 or rout\$4 or connect\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:54
76	BR S	25	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near5 ((possible or probable)(path\$1 or rout\$4 or connect\$4)))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:32
77	BR S	0	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near5 ((possible or probable)(path\$1 or rout\$4 or connect\$4)))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))) and ((polic\$4))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:32
78	BR S	23	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near5 ((possible or probable)(path\$1 or rout\$4 or connect\$4)))) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:00
79	BR S	21	((data near3 transmi\$6)near3 (plural\$4 or multiple or many))with ((possible or probable)near3 (path\$1 or rout\$4 or connect\$4))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:56
80	BR S	12	((data near3 transmi\$6)near3 (plural\$4 or multiple or many))with ((possible or probable)near3 (path\$1 or rout\$4 or connect\$4)) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 13:56
81	BR S	1561	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 15:00
82	BR S	15	((data near3 transmi\$6)near6 ((plural\$4 or multiple or many)near3 (path\$1 or rout\$4 or connect\$4))) and @ad<20000520) and ((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:50

	Type	Hits	Search Text	DBs	Time Stamp
83	BR S	0	((establish\$4 or selecti\$4 or decid\$4)near5 (internal near3 (path\$1 or rout\$4 or connect\$4)))same (based near6 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:53
84	BR S	1100	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) same ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:57
85	BR S	739	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) with ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:59
86	BR S	0	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) with ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))) same (cross\$connect\$4 near3 card\$1)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:58
87	BR S	0	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) with ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))) and (cross\$connect\$4 near3 card\$1)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:59
88	BR S	25	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:59
89	BR S	24	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)) and ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))	USPAT; US-PGPU B; IBM_TDB	2004/02/09 14:59
90	BR S	12	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)) and (configur\$6 near5 polic\$4)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 15:00
91	BR S	12	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)) and ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))) and (configur\$6 near5 polic\$4)	USPAT; US-PGPU B; IBM_TDB	2004/02/09 15:00

	Type	Hits	Search Text	DBs	Time Stamp
92	BR S	0	(((((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)) and ((plural\$3 or multiple or many or more)near3 (path\$1 or connect\$4 or rout\$3))) and (configur\$6 near5 polic\$4)) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 15:00
93	BR S	7	((establish\$4 near5 (path\$1 or rout\$4 or connect\$4)) with transmi\$6) and (cross\$connect\$4 near3 card\$1)) and @ad<20000520	USPAT; US-PGPU B; IBM_TDB	2004/02/09 15:00
94	BR S	1009	policy near3 (rout\$4 or connect\$4)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 09:20
95	BR S	4	(policy near3 (rout\$4 or connect\$4)) with (configuration near3 database)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 09:22
96	BR S	126	(policy near3 (rout\$4 or connect\$4)) same database	USPAT; US-PGPU B; IBM_TDB	2004/03/08 09:22
97	BR S	8	((policy near3 (rout\$4 or connect\$4)) with configuration) same database	USPAT; US-PGPU B; IBM_TDB	2004/03/08 09:22
98	BR S	69	(policy near3 (rout\$4 or connect\$4)) with configuration	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:12
99	BR S	82	((policy or rule)adj2 based)near5 configuration	USPAT; US-PGPU B; IBM_TDB	2004/03/08 11:57
100	BR S	9	((policy or rule)adj2 based)near5 configuration) same (network adj3 (resource\$1 or device\$1))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 12:06
101	BR S	0	((network adj3 (resource\$1 or device\$1))near3 (allocat\$4 or assign\$4 or rout\$4))with (((policy or rule)adj2 based)near5 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 12:10
102	BR S	0	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4))with (((policy or rule)adj2 based)near5 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 12:12

	Type	Hits	Search Text	DBs	Time Stamp
103	BR S	8214	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:42
104	BR S	2	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4))) same (((policy or rule)adj2 based)near5 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:30
105	BR S	0	(ploicy near3 provision\$4)near6 (network\$3 adj3 (device\$1 or resource\$1))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:14
106	BR S	0	(ploicy near3 provision\$4) near6 (network\$3 adj3 (device\$1 or resource\$1))	EPO; JPO; DERWENT	2004/03/08 13:14
107	BR S	17	(policy near3 provision\$4)near6 (network\$3 adj3 (device\$1 or resource\$1))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:15
108	BR S	0	(policy near3 provision\$4)near6 (network\$3 adj3 (device\$1 or resource\$1))	EPO; JPO; DERWENT	2004/03/08 13:28
109	BR S	0	(policy near3 provision\$4)with (network\$3 adj3 (device\$1 or resource\$1))	EPO; JPO; DERWENT	2004/03/08 13:28
110	BR S	1	(policy near3 provision\$4)same (network\$3 adj3 (device\$1 or resource\$1))	EPO; JPO; DERWENT	2004/03/08 13:28
111	BR S	1	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) with (((policy or rule)adj2 based)near5 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:32
112	BR S	0	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) with (((policy or rule)adj2 based))) same database	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:32
113	BR S	0	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) same (databasre adj2 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:33
114	BR S	0	((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) and (databasre adj2 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:33

	Typ e	Hits	Search Text	DBs	Time Stamp
115	BR S	3	((((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) with (((policy or rule)adj2 based))) same configuration	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:33
116	BR S	23	((((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) with (((policy or rule)adj2 based)))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 13:36
117	BR S	38	((((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or allocat\$4 or assign\$4 or rout\$4 or configur\$6))) same (database adj2 configuration))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:09
118	BR S	88	subnet adj3 manager	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:11
119	BR S	0	(subnet adj3 manager) with (policy near3 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:10
120	BR S	0	(subnet adj3 manager) same (policy near3 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:10
121	BR S	0	(subnet adj3 manager) and (policy near3 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:11
122	BR S	99	subnet near3 manager	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:11
123	BR S	2	(subnet near3 manager) and (policy near3 configuration)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:12
124	BR S	0	(policy near3 provicion\$4)near5 (network adj2 (device or resource or router or switch))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:13
125	BR S	14	(policy near3 provision\$4)near5 (network adj2 (device or resource or router or switch))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:15
126	BR S	1824	(selecti\$4 or adapt\$5)near3 (establish\$4 adj2 (rout\$3 or connect\$4 or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:20

	Typ e	Hits	Search Text	DBs	Time Stamp
127	BR S	0	((selecti\$4 or adapt\$5)near3 (establish\$4 adj2 (rout\$3 or connect\$4 or path))) with (configuration adj2 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:22
128	BR S	0	((selecti\$4 or adapt\$5)near3 (establish\$4 adj2 (rout\$3 or connect\$4 or path))) same (configuration adj2 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:18
129	BR S	1	((selecti\$4 or adapt\$5)near3 (establish\$4 adj2 (rout\$3 or connect\$4 or path))) and (configuration adj2 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:19
130	BR S	1	((selecti\$4 or adapt\$5)near3 (establish\$4 adj2 (rout\$3 or connect\$4 or path))) and (configuration near4 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:19
131	BR S	6	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) with (configuration adj2 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:24
132	BR S	0	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) same (based adj3 (configuration adj2 polic\$3))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:24
133	BR S	6	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) and (based adj3 (configuration adj2 polic\$3))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:24
134	BR S	10	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) same (configuration adj2 polic\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:25
135	BR S	27	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) with (configuration near2 database)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:26
136	BR S	89	((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))) same (configuration near2 database)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:36
137	BR S	2	(dynamically near2 (updat\$3 or chang\$3 or modif\$4)) adj6 (configuration adj2 policy)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:38
138	BR S	121	dynamically near3 ((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:44
139	BR S	215	(dynamically near3 ((manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) with (network adj3 (resource\$1 or device\$1))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:44

	Typ e	Hits	Search Text	DBs	Time Stamp
140	BR S	0	(dynamically near3 ((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) same (policy near3 provisioning)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:45
141	BR S	0	(dynamically near3 ((network adj3 (resource\$1 or device\$1))near3 (manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) and (policy near3 provisioning)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:45
142	BR S	0	((dynamically near3 ((manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) with (network adj3 (resource\$1 or device\$1))) same (policy near3 provisioning)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:45
143	BR S	0	(dynamically near3 ((manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) same (policy near3 provisioning)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:45
144	BR S	8	((dynamically near3 ((manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) and (policy near3 provisioning)) and ((establish\$4 or select\$4 or adapt\$4) adj3 (rout\$3 or connect\$4 or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:46
145	BR S	23	(dynamically near3 ((manag\$5 or configur\$6 or allocat\$4 or assign\$4 or rout\$4))) and (policy near3 provisioning)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 14:54
146	BR S	6	(policy adj4 provisioning)adj5 (network adj2 (device or resource))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:29
147	BR S	19	(policy adj2 (based or enabled))near4 (communication or transmission)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:45
148	BR S	99	(policy adj2 (based or enabled))adj4 (connection or rout\$4 or path)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:17
149	BR S	15	(policy adj2 (based or enabled))adj4 (communication or transmission)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:37
150	BR S	6	((policy adj2 (based or enabled))adj4 (connection or rout\$4 or path)) same configuration	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:43

	Type	Hits	Search Text	DBs	Time Stamp
151	BR S	0	(modular adj1 (software adj2 architecture)) and ((policy adj2 (based or enabled))adj4 (connection or rout\$4 or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:44
152	BR S	0	(modular adj1 (software adj2 architecture)) and ((policy adj2 (based or enabled))near4 (communication or transmission))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:45
153	BR S	0	(modular adj1 (software adj2 architecture)) and ((policy adj2 (based or enabled))near4 (configuration))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:45
154	BR S	14	(modular adj1 (software adj2 architecture)) and ((policy adj2 (based or enabled)))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:36
155	BR S	80	modular adj1 (software adj2 architecture)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:52
156	BR S	4714	(establish\$4 near3 (path or rout\$4 or connection))with transmission	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:57
157	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with transmission) same ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:58
158	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with transmission) and ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:54
159	BR S	0	(establish\$4 adj3 (path or rout\$4 or connection))with ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:56
160	BR S	0	(establish\$4 adj3 (path or rout\$4 or connection))same ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:56
161	BR S	0	(establish\$4 adj3 (path or rout\$4 or connection))same ((based or according) adj3 (configuration adj2 policy))	EPO; JPO; DERWENT	2004/03/08 15:56
162	BR S	0	(internal adj3 (path or rout\$4 or connection))same ((based or according) adj3 (configuration adj2 policy))	EPO; JPO; DERWENT	2004/03/08 15:57
163	BR S	0	(internal adj3 (path or rout\$4 or connection))same ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:57

	Type	Hits	Search Text	DBs	Time Stamp
164	BR S	731	(establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:58
165	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))) same ((based or according) adj3 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:59
166	BR S	2	((establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))) same ((based or according) adj3 (policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:59
167	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))) same ((based or according) adj3 (configuration))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:59
168	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))) same ((configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 15:59
169	BR S	0	((establish\$4 near3 (path or rout\$4 or connection))with (plurality adj4 (path\$1 or connection\$1 or rout\$4))) and ((configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:11
170	BR S	0	(cross\$connect\$3 adj2 (card or board or adapter)) with (programmable adj path)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:12
171	BR S	0	(cross\$connect\$3 adj2 (card or board or adapter)) with (programmable adj2 (connection or route or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:13
172	BR S	0	(cross\$connect\$3 adj2 (card or board or adapter)) same (programmable adj2 (connection or route or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:13
173	BR S	0	(cross\$connect\$3 adj2 (card or board or adapter)) and (programmable adj2 (connection or route or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:14
174	BR S	2309	(programmable near3 (connection or route or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:18

	Typ e	Hits	Search Text	DBs	Time Stamp
175	BR S	7	((programmable near3 (connection or route or path))) and (configur\$6 adj3 policy)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:17
176	BR S	7	((programmable near3 (connection or route or path))) same (cross\$connect\$3 adj2 (card or board or adapter))) and (configur\$6 adj3 policy)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:15
177	BR S	7	((programmable near3 (connection or route or path))) same (cross\$connect\$3 adj2 (card or board or adapter))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:16
178	BR S	0	((programmable near3 (connection or route or path))) with (configur\$6 adj3 policy)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:17
179	BR S	0	((programmable near3 (connection or route or path))) and ((policy adj2 (based or enabled))adj4 (connection or rout\$4 or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:17
180	BR S	1025	(programmable adj3 (connection or route or path))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:19
181	BR S	13	((programmable adj3 (connection or route or path))) with ((plural\$3 or multiple)adj2 (path or connection or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:57
182	BR S	3	((programmable adj3 (connection or route or path))) same (policy or rul\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:25
183	BR S	0	(configuration adj1 policy).clms.	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:26
184	BR S	0	(configuration adj2 policy).clms.	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:27
185	BR S	21	(configuration adj2 policy).clm.	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:27
186	BR S	353	(selecti\$4 near3 (connctet\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 16:59

	Type	Hits	Search Text	DBs	Time Stamp
187	BR S	0	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) same ((based or accord\$4)adj4 (configuration adj1 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:00
188	BR S	0	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) same ((based or accord\$4)adj4 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:00
189	BR S	0	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) and ((based or accord\$4)adj4 (configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:01
190	BR S	1	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) and ((configuration adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:02
191	BR S	0	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) and ((configur\$4 adj2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:02
192	BR S	0	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) and ((configur\$4 near2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:02
193	BR S	1	((selecti\$4 near3 (connct\$4 or rout\$4 or path))with (data adj2(transfer or transmi\$6))) and (((configur\$4 or rule\$1) near2 policy))	USPAT; US-PGPU B; IBM_TDB	2004/03/08 17:03
194	BR S	7	(cross\$connection adj2 (card or board or pcb)) with programmable	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:58
195	BR S	7	(cross\$connect\$4 adj2 (card or board or pcb)) with programmable	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:52
196	BR S	1940	(programmable or configurable)adj2 (port or path or connection or rout\$4)	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:58
197	BR S	0	((programmable or configurable)adj2 (port or path or connection or rout\$4)) with (cross\$connect\$4 adj2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:41

	Type	Hits	Search Text	DBs	Time Stamp
198	BR S	0	((programmable or configurable)adj2 (port or path or connection or rout\$4)) same (cross\$connect\$4 adj2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:40
199	BR S	0	((programmable or configurable)adj2 (port or path or connection or rout\$4)) and (cross\$connect\$4 adj2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:41
200	BR S	0	((programmable or configurable)adj2 (port or path or connection or rout\$4)) with (cross\$connect\$4 near2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:41
201	BR S	0	((programmable or configurable)adj2 (port or path or connection or rout\$4)) with (cross\$connect\$4 near3 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:41
202	BR S	1	((programmable or configurable)adj2 (port or path or connection or rout\$4)) and (cross\$connect\$4 near3 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:42
203	BR S	0	((cross\$connect\$4 adj2 (card or board or pcb))) and ((programmable or configurable)adj2 (port or path or connection or rout\$4))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:53
204	BR S	20	((cross\$connect\$4 adj2 (card or board or pcb))) and ((programmable or configurable))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:54
205	BR S	9	(cross\$connection adj2 (card or board or pcb)) with (flexible or programmable or configur\$4)	USPAT; US-PGPU B; IBM_TDB	2004/03/09 10:59
206	BR S	45	(cross\$connect\$4 adj2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 11:09
207	BR S	7	(reconfigurable or programmable)near4(cross\$connect\$4 adj2 (card or board or pcb))	USPAT; US-PGPU B; IBM_TDB	2004/03/09 11:41
208	BR S	1	6079025.pn.	USPAT; US-PGPU B; IBM_TDB	2004/03/09 11:42

	Type	Hits	Search Text	DBs	Time Stamp
209	BR S	1	5892959.pn.	USPAT; US-PGPU B; IBM_TDB	2004/03/09 11:42
210	BR S	1	5396635.pn.	USPAT; US-PGPU B; IBM_TDB	2004/03/09 11:43
211	BR S	1	6584571.pn.	USPAT; US-PGPU B; IBM_TDB	2004/03/09 12:31
212	BR S	5785	((resource or information)adj shar\$3)	USPAT; US-PGPU B; IBM_TDB	2004/03/09 12:33